

2000 ,

[2].

—
« »

« »

20 000

(1 %),

« »

« »,

»,

»

1.

2. , , -
, , , , -
, , , , -
, , , , -
3. . , , -
. , , -
, , , , -
. , , , , -
. , , , , -
4. 100 , , -
« » , 20 -
, , (« ») -
, , , , -
, , , , -
5. , , -
, , , , -
, , , , -
6. , , (2D-) -
, , , , -
1963–1965 . -
, , , , -
7. 1990- -
, , , , -
, , , , -

8.

21

1. 1991. – 152 .
2. , 2003. – 344 .
3. , 2013. – 507 .
4. , 2009. – 256 .

Information about the authors

Bembel R. M., Doctor of Science in Geology and Mineralogy, professor of Industrial University of Tyumen, e-mail: rmbembel@rambler.ru

Bembel M. R., head of laboratory at Tyumen Branch of SurgutNIPIneft, e-mail: MR@Surgutneftegas.ru

MR@Surgutneftegas.ru

« », .
, e-mail: jahmir@bk.ru
,
, e-mail: Ivan.Schetinin@ emerson.com

- **Sahipov D. M.**, General Director of NPF «Dami-
mir», senior lecturer of Nizhnevartovsk affiliate of
Industrial University of Tyumen, e-mail: jah-
mir@bk.ru
, **Schetinin I. A.** postgraduate, Industrial Univer-
sity of Tyumen, e-mail: Ivan.Shchetinin@ emer-
son.com