

IDENTIFICATION AND CORRELATION OF PROSPECTIVE HORIZONS IN THE
PERMIAN DEPOSITS SECTION OF THE ANABAR-KHATANGA
PETROLEUM- BEARING REGION

N. E. Edinarkhova

Key words: Anabar-Khatanga petroleum-bearing region; prospective horizons; Permian deposits

(), (.1).
30- XX .
(, , ,) 10 . .
10
[1, 2].

(1995).

[4].

(,)

« »,

10–100 ,

32

(V, VI, VII (,), VIII (,), IX (, ,), X) —
(XI (, ,), XII, XIII, XIV (, ,), XV (, ,)) [3].

(

5, 6)

1

V, VI, VII, VIII, IX, X (I (V).


1, 2, 3, 4, 5, 2).
2, 1

2

40–65 .

1 333–1 350), 1, 2 (VI). 2 (-
 - , 1 -
 - , 2 -
 12 43 . 3 (VII) 2, 1 -
 . 2 -
 - , - , -
 33 63 . 4 (VIII) , -
 , -
 , -
 37 75 . (. 1, 2, 2).
 5 (IX). 2, 1, 2 -
 - , - , -
 , -
 7 53 .
 6 (X) -
 ,
 20 . -
 1, 2, 3, 4, 5, 6, 7, XI, XII, XIII XIV , XIV , XV , XV XV ,
 (. .) (. 3).
 1 (XI) -
 1 800–1 825 . 1 -
 1 767–1 780 , -
 , 2 (1 633–1 670) - ,
 ,
 . 1 1 600–1 620 (1 555–1 595) -
 , - ,
 - , 1 531–1 555 -
 - , 1 527–1 531 -
 , - ,
 . 1 -
 - ; - ;
 ; 970–990 -
 . 15–25 % , 990–1 040 65 % . -

2 (1 260–1 340) -
 , 1245–1259 -
 - , 1 -
 65 138 .
 1907–1913 2 (XII). 1
 - . 1 730–1 750 2 -
 (20 %). (80 %),
 (1 720–1 730) -
 1 1 160–1 180 (1 130–1 152)
 - , - 2
 1 440–1 470 - , .
 . 43–110 . -
 1 1 700–1 720 . -
 3(XIII). 2, 1 -
 - , 1, 2 , -
 . 1 1 798–1 812 .
 1 790–1 798 , - 1 786–1 790 -
 - , (1, 2) -
 . , -
 . 40–60 .
 4 (XIII XIV).
 1, 2; 1, 2; 1 -
 , 17 67 . -
 1 (1 295–1 300) , -
 . 3 -
 - ,
 : 5, 6, 7. -



.3. 1— , 2— , 3— , 4— , 5— , 6— , 7— I() ,

